(/ <i>}</i>	
Y	

	Application No.	Applicant(s)		
	10/773,567	LICHTSCHEIDL ET AL.		
Notice of Allowability	Examiner	Art Unit		
	Gary F Paumen	2833		
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this a) or other appropriate communication IGHTS. This application is subject	pplication. If not included on will be mailed in due course. THIS		
1. \boxtimes This communication is responsive to <u>the amendment filed</u>	<u>12/13/04</u> .			
2. The allowed claim(s) is/are <u>1-31</u> .				
3. X The drawings filed on <u>06 February 2004</u> are accepted by the Examiner.				
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 				
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.				
5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which giv				
6. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1) each sheet. Replacement sheet(s) should be labeled as such in the state of the sheet in the state of the sheet is should be labeled as such in the state of the sheet is should be labeled as such in the state of the sheet is should be labeled as such in the state of the sheet is should be labeled as such in the sheet is should be labeled as such in the sheet is should be labeled as such in the sheet is should be labeled as such in the sheet is should be labeled as such in the sheet is should be labeled as such in the sheet is should be labeled as such in the sheet is should be labeled as such in the sheet is sheet in the sheet is should be labeled as such in the sheet is sheet in the sheet in the sheet in the sheet is sheet in the sheet in the sheet is sheet in the sheet in	son's Patent Drawing Review(PTC - 's Amendment / Comment or in the 1.84(c)) should be written on the draw the header according to 37 CFR 1.121	Office action of rings in the front (not the back) of I(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summar Paper No./Mail Do 08), 7. ☐ Examiner's Amend	ate dment/Comment nent of Reasons for Allowance		
		Gary Paumen Primary Examiner		

The following is an examiner's statement of reasons for allowance: none of the prior art of record discloses or teaches the combination of a utilities connection device having a plurality of electrical receptacles, a support structure at least partially stowable within the body and movable between two orientations, and a utility line holder; nor do they disclose or teach the combination of a device having a plurality of electrical receptacles, a line management device, a stand movable between a deployed position and a stowed position, and an electrical receptacle strip movable between internal and external positions.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gary F Paumen whose telephone number is 571-272-2013. The examiner can normally be reached on Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Paula Bradley can be reached on 571-272-2800, ext. 33. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/773,567

Art Unit: 2833

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Page 3

gfp

Gary Paumen
Primary Examiner

Hom Flam